



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/960,098	09/21/2001	Minco Okamura	FUJZ 19.021(100794-11761)	5081
26304 7590 05/24/2007 KATTEN MUCHIN ROSENMAN LLP 575 MADISON AVENUE NEW YORK, NY 10022-2585			EXAMINER WONG, WARNER	
			ART UNIT 2616	PAPER NUMBER
			MAIL DATE 05/24/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/960,098

Applicant(s)

OKAMURA, MINEO

Examiner

Warner Wong

Art Unit

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 March 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. The following claims objected to because of the following informalities:
 - (a) claim 8, line 7, the limitation "runnels" should be grammatically corrected as "tunnels".
 - (b) claim 9, line 3, the limitation "potion" should be grammatically corrected as "portion".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-3 are rejected under 35 U.S.C. 102(e) as being anticipated by Lee (US 6,59,225).

Regarding claim 1, Lee describes a system comprising:

a managing communication device (fig. 1 or 2, Home Agent 26);

a mobile node managed by the managing communication device (fig. 1 or 2, mobile node 20);

an accommodating communication device accommodating the mobile node (fig. 1 or 2, foreign agent 28 or 34);

the managing communication device releasing, with a movement of the mobile node managed, an older tunnel already established so as to prevent a number of all tunnels established between the communication device itself and accommodating communication device from exceeding a predetermined threshold value (fig. 2-3 and col. 6, lines 2-5, where in step S6, the Home Agent 26 (communication device) deregisters/disconnects (releases the older tunnel to/from) the older Foreign Agent 28 (FA), due to movement of mobile wireless node 14 which prompts a handoff, to prevent more than one (predetermined threshold value) [permanent] tunnel to/from the mobile 14. It is noted that this is different from step S7, where the communication/routing of data to the old FA is terminated).

Regarding claim 2, Lee further describes that the threshold value comprises a unique value to each mobile node (col. 6, lines 2-4, where there is the limit of only "1" tunnel (unique threshold value) to permanently exist for each mobile 14).

Regarding claim 3, Lee describes a communication device which manages a mobile node (fig. 1 or 2), comprising:

means establishing, with a movement of a mobile node, a tunnel for transferring a communication packet with the mobile node to an accommodating communication device accommodating the mobile node at a moved destination (fig. 3, where the Home Agent 26 (communication device) manages/establishes, with the movement of the

mobile 14 to another location prompting a handover, a new tunnel to the new FA 34 (accommodating mobile node) for data packet communication),

means for controlling a number of tunnels to be within a predetermined number (fig. 2-3 & col. 6, lines 2-5, where in step S6, the Home Agent 26 (communication device) deregisters/disconnects (releases the older tunnel to/from) the older Foreign Agent 28 (FA), to prevent more than one (predetermined threshold value) [permanent] tunnel to/from the mobile 14.)

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claim 4** is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Suzuki (US 6,791,946).

Lee describes a system, comprising:

a managing communication device (fig. 1 or 2, Home Agent 26);

a plurality of mobile nodes managed by the managing communication device (fig. 1 is the same network as that of its prior art (col. 1, lines 34-38), where plurality of mobiles exist, but with improvements);

an accommodating communication device accommodating the mobile node (fig. 1 or 2, foreign agent 28 or 34);

the managing communication device which, when a new tunnel is required to be established with a movement of a single mobile node to be managed, releases an older tunnel corresponding to the single mobile node to establish the new tunnel when at least one tunnel corresponding to the single mobile node is established (fig. 2 & 3, & col. 6, lines 2-4, where in step S7, the Home Agent 26 (communication device) terminates/disconnects (releases the established/older tunnel to/from) the older Foreign Agent 28 (FA) and the mobile wireless node 14 due to the mobile's movement which prompts a handoff to establish another [permanent] new tunnel).

Lee fails to explicitly describe the condition of:

when a number of all tunnels presently established for all mobile nodes by the communication device itself exceed a predetermined threshold value, and no [new] tunnel corresponding to the single mobile node is established, rejecting the establishment of the new tunnel.

Suzuki describes:

when a number of all tunnels presently established for all mobile nodes by the communication device itself exceed a predetermined threshold value, and no [new] tunnel corresponding to the single mobile node is established, rejecting the establishment of the new tunnel (col. 13, lines 21-54, where when the number of all links (tunnels) represented by the availability of VPI/VCID identifiers reach a predesignated threshold value, it will pause in granting (rejecting) the establishment of a new link (tunnel) and release some mapped identifiers (links) before granting).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to incorporate the resource allocation process of Suzuki to the tunneling allocation process within the Home Agent of Lee.

The motivation for combining the teachings is that there is a need for the device which allocates connection/tunnel resources to prevent existing calls from being dropped, (Suzuki, col. 4, lines 30-34).

4. **Claim 5** is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Suzuki as applied to claim 4 above, and further in view of Baiyor (6,282,429).

Lee and Suzuki fail to describe:

the mobile nodes are classified into a plurality of classes based on a plurality of threshold values, and the establishment of a new connection/tunnel is rejected or executed/allocated based on the threshold value corresponding to the class to which the mobile node belongs.

Baiyor describes:

the mobile nodes are classified into a plurality of classes based on a plurality of threshold values, and the establishment of a new connection/tunnel is rejected or executed/allocated based on the threshold value corresponding to the class to which the mobile node belongs (col. 2, lines 62-63 and col. 5, lines 47-55).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to incorporate the connection determination process based on classification/priorities such as Baiyor to the combined system of Lee and Suzuki.

The motivation for combining the teaching is that "It would be advantageous to identify wireless subscribers who have priority calling before the call origination request consumed significant call processing resources" (col. 2 lines 2-4).

5. **Claim 6** is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Douglass (6,487,596).

Lee describes a system, comprising:

a managing communication device (fig. 1 or 2, Home Agent 26);

a plurality of mobile nodes managed by the managing communication device (fig. 1 is the same network as that of its prior art (col. 1, lines 34-38), where plurality of mobiles exist, but with improvements);

an accommodating communication device accommodating the mobile node (fig. 1 or 2, foreign agent 28 or 34);

the managing communication device which establishes, with a movement of the mobile node managed, a tunnel between the communication device itself and an accommodating communication device (fig. 3, where the Home Agent 26 (communication device) establishes, with the movement of the mobile 14 to another location prompting a handover, a new tunnel to the new FA 34 (accommodating mobile node)).

Lee fails to describe the communication device of:

determining a lifetime of a tunnel, so that when a number of all tunnels presently used is large the lifetime is shortened.

Art Unit: 2616

Douglis describes a modem bank 20 (communication device) of:

determining a lifetime of a tunnel, so that when a number of all tunnels presently used are large the lifetime is shortened (col. 4, lines 25-31, where the timeout (lifetime) of a modem connection (of a tunnel) is due to the number of connections/loading of the modem bank).

It would have been obvious to one with ordinary skill in the art at the time of invention to incorporate the connection timeout method of Douglis into the communication device of Lee.

The motivation for combining the teachings is that system resources may be gained by varying the lifetime of individual connections [tunnels] “ a disconnected user [connection] represents a recovered resources .. that can be used for another user” (col. 2, lines 16-18).

6. **Claim 7** is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Douglis as applied to claim 6 above, and further in view of Jennings (6,597,774).

Lee and Douglis combined fail to describe:

the lifetime is notified to the mobile node.

Jennings describes:

the lifetime is notified to the mobile node (col. 1, line 32, where remaining time of the [prepaid] call is notified at the user [mobile node]).

It would have been obvious to one with ordinary skill in the art at the time of invention to incorporate the feature of informing the connection lifetime to the user as in Jennings for the combined system of Lee and Dougliš.

The motivation for combining the teachings is that this feature of informing the user the lifetime/remaining time to optimize the billing [prevents another call if necessary communication is unfinished when call time is over] (Jennings, col. 1, lines 29-31).

7. **Claims 8-9** are rejected under 35 U.S.C. 103(a) as being unpatentable over Dougliš (6,487,596).

Dougliš describes a method/device (fig. 1, modem bank 20), comprising:

a tunnel number managing portion (col. 4, line 27, load sensitivity means) decreasing a number of tunnels presently established upon timeout of a tunnel lifetime and increasing the number of tunnels presently established upon addition of a new tunnel (col. 4, lines 23-36, load sensitivity means managing number of disconnections (decreasing number of tunnels) and number of connections (addition of new tunnels));

a controller for releasing a tunnel presently established in case a value that is the tunnel number managed by the tunnel number managing portion exceeds a predetermined threshold (col. 4, lines 25-36, the time-out policy (controller) disconnects existing connections (releases presently established connection) when the load value managed by the load sensitivity means (tunnel number value managed by the tunnel number managing portion) is beyond a certain load level (exceeds a predetermined threshold)).

Douglis fails to explicitly describe:

a number of tunnels to be added is used to sum with the tunnel number value for comparing with a predetermined threshold.

However, from the reference's citation "From the provider's viewpoint, a disconnected user represents a recovered resource- a modem that can be used for another user" (col. 2, lines 16-18), it would have been obvious to one with ordinary skill in the art at the time of invention to equate the "another user" to be the "number of tunnels to be added" for the Douglis' explanation of disconnecting existing connections when the load value exceeds a certain load level.

The motivation is to allow another future user/connection (tunnel) to be added for network use (col. 2, lines 16-18).

Response to Arguments

8. Applicant's arguments filed March 28, 2007 have been fully considered but they are not persuasive.

On p. 5, paragraph 3, the applicant argues regarding claim 1 that Lee suggests that the tunnel may or may not be released when the handoff procedure has been completed: "Thus, the possibility remains that where handoff does not occur two or more tunnels remain effective." The examiner respectfully disagrees.

The examiner asserts that the applicant incorrectly cites only col. 5, lines 35-41 and not the entire reference to reach his/her above argument. For the handover process, col. 5, lines 36-41 recites: "the home agent 26 does not immediately terminate

Art Unit: 2616

(de-register) the old mobility binding .." Continuing on col. 5, line 67 – col. 6, line 5 as recited in the rejection: "This multi-route tunneling preferably continues for as long as necessary to ensure that the handoff procedure has completed." From this description and fig. 3, step 7, "terminate routing of communication content via first care-of address", it is plainly described that the connection (tunnel) will be released, as opposed to the above argument that it may be released.

Hence, Lee meets all claim limitations as argued.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Warner Wong whose telephone number is 571-272-8197. The examiner can normally be reached on 6:30AM - 3:00PM, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kwang Yao can be reached on 571-272-3182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Warner Wong
Examiner
Art Unit 2616

WW

KWANG BIN YAO
SUPERVISORY PATENT EXAMINER

